

Data Sheet

HUMAN BONE SIALOPROTEIN (BSP)

ANTIBODY, POLYCLONAL

Catalog no.: A 4221.1 / A 4221.2

Immunogen: Human Bone Sialoprotein (bone extract)

Synonyms: Bone sialoprotein 2, BSP2, Cell-binding

sialoprotein, Integrin-binding sialoprotein

Swiss-Prot No: P21815

Gene Information: Gene Name: IBSP

Gene ID: 3381

Host: Chicken

Matrix: Purified IgY; PBS pH 7.4

Specificity: Human Bone Sialoprotein

There was no cross reactivity obtained with human Osteonectin, human Osteopontin, and

human Alkaline Phosphatase.

Contents: $10 \mu g / 100 \mu g (lyophilized)$

Resuspend in 10 μl / 100 μl aqua bidest.

Known applications: ELISA (1 μg/ml), RIA (20 ng/ml)^{1,4}, flow

cytometry2, Western Blot (1:100)1,3,

immunohistochemistry (paraffin sections, 4 μg/ml)⁴

This antibody has not been tested for use in all applications. This does not necessarily exclude its use in non-tested procedures. The stated dilutions are recommendations only. End users should determine

optimal dilutions in their system using appropriate negative/positive controls.

Store at: 2-8 °C (lyophilized); - 20 °C (dissolved)

Repeated thawing and freezing must be avoided

References: 1. Karmatschek M, Maier I, Seibel MJ, Woitge HW, Ziegler R, Armbruster FP (1997). Improved

purification of human bone sialoprotein and development of a homologous radioimmunoassay. Clin


. Chem **43**:2076-82.

2. Bellahcene A, Van Riet, I, de Greef C, Antoine N, Young MF, Van Camp B, Castronovo V (2000). Bone sialoprotein mRNA and protein expression in human multiple myeloma cell lines and patients. *Br J*

Haematol **111**:1118-21.

3. Adwan H, Bauerle T, Najajreh Y, Elazer V, Golomb G, Berger MR (2004). Decreased levels of osteopontin and bone sialoprotein II are correlated with reduced proliferation, colony formation, and

migration of GFP-MDA-MB-231 cells. Int J Oncol. **24**(5):1235-44.






Figure 1: Immunhistochemistry image of BSP staining in paraffin sections of pancreatic ductal adenocarcinoma. Sections were incubated with A 4221 (4 µg/ml) and detected using HRP-conjugated secondary antibody. DAB was used as the chromogen. The sections were counterstained with Mayer's hematoxylin. A. A 4221 stains pancreatic cancer cells and D. lymph node metastases of pancreatic cancer. Scale bar = 50µm.

Kayed H et al. (2007) Cancer Letters 245:171-83





4. Kayed H, Kleeff J, Keleg S, Felix K, Giese T, Berger MR, Buchler MW, Friess H (2007). Effects of bone sialoprotein on pancreatic cancer cell growth, invasion and metastasis. *Cancer Lett* **245**(1-2): 171-183.

Last updated on: 06 April 2022

For research use only

Publishing research using A 4221? Please let us know so that we can cite your publication as a reference.